



## QXJY.EX26613 Centrifugal Fire Pumps, Split Case

[Page Bottom](#)

### Centrifugal Fire Pumps, Split Case

[See General Information for Centrifugal Fire Pumps, Split Case](#)

ARMOR FIRE FIGHTING MANUFACTURING PTY LTD

EX26613

48 Biltmore CR

Roxburgh Park, Victoria 3065 AUSTRALIA

Fire pumps, single stage

Rated Capacity (gpm)	Size (in.)	Model Dsg	Rated Net Pressure Range (psi)	Approx Speed (rpm)	Max Working Pressure (psi)
50	5x3	ARS 80-220	78	2800	120
50	5x3	ARS 80-220	84	2900	120
50	5x3	ARS 80-220	87	2950	120
50	5x3	ARS 80-220	90	3000	120
50	5x3	ARS 80-220	103	3200	120
50	5x3	ARS 80-280	137	2800	210
50	5x3	ARS 80-280	147	2900	210
50	5x3	ARS 80-280	152	2950	210
50	5x3	ARS 80-280	157	3000	210
50	5x3	ARS 80-280	179	3200	210
100	5x3	ARS 80-220	77	2800	120
100	5x3	ARS 80-220	83	2900	120
100	5x3	ARS 80-220	86	2950	120
100	5x3	ARS 80-220	89	3000	120
100	5x3	ARS 80-220	102	3200	120
100	5x3	ARS 80-280	134	2800	210
100	5x3	ARS 80-280	144	2900	210
100	5x3	ARS 80-280	149	2950	210
100	5x3	ARS 80-280	154	3000	210
100	5x3	ARS 80-280	176	3200	210
150	5x3	ARS 80-220	77	2800	120
150	5x3	ARS 80-220	83	2900	120
150	5x3	ARS 80-220	86	2950	120
150	5x3	ARS 80-220	89	3000	120

150	5x3	ARS 80-220	101	3200	120
150	5x3	ARS 80-280	133	2800	210
150	5x3	ARS 80-280	143	2900	210
150	5x3	ARS 80-280	148	2950	210
150	5x3	ARS 80-280	153	3000	210
150	5x3	ARS 80-280	174	3200	210
200	5x3	ARS 80-220	77	2800	120
200	5x3	ARS 80-220	83	2900	120
200	5x3	ARS 80-220	86	2950	120
200	5x3	ARS 80-220	89	3000	120
200	5x3	ARS 80-220	101	3200	120
200	5x3	ARS 80-280	133	2800	210
200	5x3	ARS 80-280	143	2900	210
200	5x3	ARS 80-280	148	2950	210
200	5x3	ARS 80-280	153	3000	210
200	5x3	ARS 80-280	174	3200	210
250	5x3	ARS 80-220	77	2800	120
250	5x3	ARS 80-220	83	2900	120
250	5x3	ARS 80-220	86	2950	120
250	5x3	ARS 80-220	89	3000	120
250	5x3	ARS 80-220	101	3200	120
250	5x3	ARS 80-280	133	2800	210
250	5x3	ARS 80-280	143	2900	210
250	5x3	ARS 80-280	148	2950	210
250	5x3	ARS 80-280	153	3000	210
250	5x3	ARS 80-280	174	3200	210
250	6x4	ARS 100-320	192	2800	250
250	6x4	ARS 100-320	206	2900	250
250	6x4	ARS 100-320	213	2950	250
250	6x4	ARS 100-320	220	3000	250
300	5x3	ARS 80-220	76	2800	120
300	5x3	ARS 80-220	82	2900	120
300	5x3	ARS 80-220	85	2950	120
300	5x3	ARS 80-220	88	3000	120
300	5x3	ARS 80-220	100	3200	120
300	5x3	ARS 80-280	134	2800	210
300	5x3	ARS 80-280	143	2900	210
300	5x3	ARS 80-280	148	2950	210
300	5x3	ARS 80-280	153	3000	210
300	5x3	ARS 80-280	175	3200	210

300	6x4	ARS 100-320	192	2800	250
300	6x4	ARS 100-320	206	2900	250
300	6x4	ARS 100-320	213	2950	250
300	6x4	ARS 100-320	221	3000	250
400	5x3	ARS 80-220	74	2800	120
400	5x3	ARS 80-220	80	2900	120
400	5x3	ARS 80-220	83	2950	120
400	5x3	ARS 80-220	86	3000	120
400	5x3	ARS 80-220	99	3200	120
400	5x3	ARS 80-280	134	2800	210
400	5x3	ARS 80-280	144	2900	210
400	5x3	ARS 80-280	149	2950	210
400	5x3	ARS 80-280	154	3000	210
400	5x3	ARS 80-280	175	3200	210
400	6x4	ARS 100-320	193	2800	250
400	6x4	ARS 100-320	207	2900	250
400	6x4	ARS 100-320	214	2950	250
400	6x4	ARS 100-320	221	3000	250
450	5x3	ARS 80-220	73	2800	120
450	5x3	ARS 80-220	79	2900	120
450	5x3	ARS 80-220	82	2950	120
450	5x3	ARS 80-220	85	3000	120
450	5x3	ARS 80-220	98	3200	120
450	5x3	ARS 80-280	144	2900	210
450	5x3	ARS 80-280	149	2950	210
450	5x3	ARS 80-280	154	3000	210
450	5x3	ARS 80-280	175	3200	210
450	6x4	ARS 100-320	192	2800	250
450	6x4	ARS 100-320	206	2900	250
450	6x4	ARS 100-320	214	2950	250
450	6x4	ARS 100-320	221	3000	250
500	5x3	ARS 80-220	76	2900	120
500	5x3	ARS 80-220	79	2950	120
500	5x3	ARS 80-220	82	3000	120
500	5x3	ARS 80-220	96	3200	120
500	5x3	ARS 80-280	175	3200	210
500	5x3	ARS 80-280	123-133	2900	200
500	6x4	ARS 100-320	192	2800	250
500	6x4	ARS 100-320	206	2900	250
500	6x4	ARS 100-320	213	2950	250

